Ö

IJ Ļ۵ Õ

O NJ



COPY OF PAPERS ORIGINALLY FILED

Docket No. UC1.PAU.02

Patent Applicati n

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Van Der Veer

Serial No.: 10/052,625

Filed: 01/18/2002

NARROW BANDWIDTH, PICO-For:

SECOND, OPTICAL PARAMETRIC

OSCILLATOR-MASTER

OSCILLATOR POWER AMPLIFIER

SYSTEM AND METHOD OF **OPERATION OF SAME**

Examiner: Unassigned

Group Art Unit: 2817

RESPONSE TO NOTICE TO FILE **CORRECTED APPLICATION PAPERS**

Assistant Commissioner for Patents Washington, DC 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated February 15, 2002,

Applicant hereby encloses the following:

- Three (3) sheets of substitute drawings in compliance with 37 CFR 1.84; (1)
- A copy of the Notice to File Corrected Application Papers. (2)

The Commissioner is hereby authorized to charge and credit Deposit Account No. 01-

1960 for any additional fee required or overpayment.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231 on

March 5, 2002

By Nancy V. McElrath

Respectfully submitted,

Daniel L. Dawes Registration No. 27,123

MYERS, DAWES & ANDRAS LLP 19900 MacArthur Blvd., Suite 1150

Irvine, CA 92612 Tel: (949) 223-9600

Fax: (949) 223-9610



COPY OF PAPERS

ORIGINALLY FILED

United States Patent and Trademark Office

COMMISSIONER FOR PATENTS UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, D.C. 20231 www.uspto.gov

APPLICATION NUMBER FILING/RECEIPT DATE FIRST NAMED APPLICANT ATTORNEY DOCKET NUMBER

10/052,625 01/18/2002 Wytze Eeuwke Van Der Veer

UC1.PAU.02

CONFIRMATION NO. 3114 FORMALITIES LETTER *OC000000007489605*

Daniel L. Dawes Myers, Dawes & Andras LLP Ste 1150 19900 MacArthur Blvd Irvine, CA 92612

Date Mailed: 02/15/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informat since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE